

TIME TO MAINTENANCE

Aerosol products for maintenance,
cleaning, manufacture and repair of
mechanical products





ERJ do the work that needs to be done for you at points where you spend a lot of time and energy It allows you to use the energy other areas instead of these points. The letters ERJ were chosen to evoke the word energy.

CLEANS

Oil, grease, dirt,
brake lining
residues.

LUBRICATES

Chains, ropes,
sliding and gear
mechanisms
without flowing.



DISSOLVES

Rust, old grease, label
adhesives, stereotyped
soiling, tar and resin by
penetrates into the
problem.

PROBLEM SOLVER



One Solution for Many Problems

ERJ Problem Solver combines the functions of many classic products. ERJ Problem Solver is much more effective than ordinary oils, rust and tar removers, corrosion and moisture inhibitors, metal cleaners and light lubricants and provides successful results when used.

Protects against moisture - Removes rust and tar
Removes paraffin and label - Relieves motion
Frees sticky mechanisms - No attract dust
Lubricates mechanical parts - Stop squeaks
Evaporation rate is slow - Prevents corrosion




Extends tool life by protecting against rust

Creates a film layer by penetrating mechanical or electronic components.

Extends the service life of the parts by protecting against the effects of adverse weather conditions or oxide.

Examples; battery terminals, electronic sockets, electrical parts or moving parts of garden and hand tools, door handles, lock mechanisms, hinges, light sliding mechanisms.



Dissolves sticker, rust and tar

Weakens connection with the existing surface and facilitates cleaning by penetrating into the layer to be cleaned

Examples; rust, oxide, pitch, label adhesives, resin, food burns.



Relieves motion on stuck or malfunctioning mechanisms

Provides relief of movement and increases comfort of use by minimizing friction in moving parts

Examples; pliers, scissors etc. hand tools, hinges, locks, sliding locks, sliding doors, door and window handles, table and drawer rails, shower cabin wheels.

Makes it easy to remove screws and bolts.

Simplifies operation during milling.



Maintains and cleans hobby tools

Extends service life of the parts and makes easier usage by maintenance and cleaning of hunting tools

Examples; fishing reel, harpoon, net mechanisms and firearms.

Maintains and lubricates the joints or electrical points of extreme sports equipment that are sensitive to rust and moisture.

Examples; skiing sets, mountaineering equipment, outdoor equipment of off-road vehicles, sailing sports.


Maintains, cleans and repairs of all motorized and non-motorized vehicles



Cleans top of vehicle engine, removes the tar and sticker from the hood, lubricates door handle and lock mechanisms.



Lubricates bicycle chains and gears, pedals, brake cables and gear mechanism.



Cleans and maintains chrome parts, engines, hinges, sliders and rollers in marine vehicles.




Lubricates small joints, polishes the chrome and cleans the leather seat of the motorcycle

GREASE SPRAY




Excellent lubrication with not attract dust

ERJ Grease Spray is much more effective than ordinary chain sprays and fluid grease sprays with its special components in its formula. Resists to high temperatures such as 220°C and has no fluidity. Although it has no fluidity, it provides comprehensive lubrication by moving between the parts as the mechanisms work.



High-viscosity lubricant
Long-term Corrosion Protection

Different spraying ways for different purposes



When sprayed from a close distance, it creates a thick layer and keeps the parts oiled for a long time.




When sprayed from a distance, it minimizes the effects of adverse weather conditions by forming a thin film layer .



Provides sliding mechanisms to work more comfortably

Facilitates the operation of the movable mechanism by using it on the slidings, chains, ropes or gears of heavy-weight systems such as garage doors, blinds, shutters, vehicle doors, and glass balconies.



Protects gear and chain systems against adverse weather conditions.

Ensures both the protection of ropes and chains from oxide for a long time and the system work better by lubricating steel rope or chain systems such as cranes, sail skids, capstan, chain hoist, extendable table rails, forklift chain.



Used in maintenance and winterize of hobby vehicles.

Provides protection against the negative effects of weather conditions until they are used in the season through creates a thin film layer on the tools that are not used in all seasons.


Examples; firearms, outboard motors, padlocks, extreme sports equipment.

Also used as a lubricant in the inner assembly of the fishing reel.



Relieves gear and chain systems in motor vehicles.

Lubricates the moving fasteners of motor vehicles such as gearshift lever, motorcycle chains, vehicle door hinges, seat slides, joints. ensures friction feeling and sound caused by heavy friction are cut off and makes use comfortable.



Minimizes friction in system elements, carrying heavy loads.

Provides long-term comfort by lubricating to the finest point the parts that are exposed to high pressure, such as vehicle lifts, elevators, escalators, moving walks, jacks and shock absorbers.

BRAKE CLEANER



Superior cleaning power through quality formula

ERJ brake Cleaner evaporates after dissolving and draining the dirt. Provides less use of the product during cleaning through its slow volatility. This feature maximizes the cleaning effect. It does not contain chemicals that have high adverse effects on human health, such as methylene chloride (dichloromethane) and acetone, with its formula in compliance with European standards.



Strong Spraying
Slow Volatility

Methylene Chloride and Acetone Free



Cleans the brake lining residues of vehicles such as cars, bicycles and motorcycles. Increases brake holding force.



Cleans the old grease and dirt from the internal assembly of power and bench tools needed to be lubricated again such as drill, jigsaw, angle grinder, circular saw, carpenter saw, chain saw.



Cleans the lubricants from the moving mechanical parts such as chain, rope, gear, bearing and hinge. Ensures that they have the cleanliness and dryness to be lubricated again.




Cleans the lubricant and dirt residues on the surface where will be used adhesive materials such as silicone, fast adhesive, foam, hood adhesives, double-sided tape. In this way, it ensures strong adhesion of the adhesive.

SUPERIOR AFFECT TOGETHER



ERJ Problem Solver breaks and softens the resistance of stereotyped dirt, rust, dust and dried oil. ERJ Brake Cleaner removes these dissolved dirt by flowing it away. ERJ Grease Spray maximizes the comfort of movement by re-lubricating these points that have been cleaned of dirt. In this way, both the service life of the tools will be extended and the comfort of use will increase.



Good results are obtained when the following steps are followed to maintain engine cleanliness and shine for a long time. Since water is not used, it provides cleaning opportunity everywhere. Attention! Never do this operation when the engine is hot and under the sun.

** The products should never be applied when the engine is warmer than room conditions, should not come into contact with electrical connection points and should not be used in the vehicle computer.*



DISSOLVE DUST AND DIRT

Wait 10-15 minutes after spraying it on dust and dirt. During this time, it absorbs the dust and softens the dirt.



CLEAN AND DRY

It ensures that the dissolved dust and dirt are drained easily and without water.



WIPED AND POLISH

When the engine is sprayed and wiped after the cleaning process is finished, it keeps the engine clean and bright



Follow the steps given below to eliminate the strain on sliding doors. The best results are obtained when each step is performed for both the rails, the gears and the wheels.

* Before applying, make sure that there is no mechanical problem such as deterioration or breakage in gears or wheels.



DISSOLVE RUST AND DIRT

Wait 10-15 minutes after spraying on rust and dirt. During this time, it dissolves the rust by penetrating into it and softens the dirt.



CLEAN AND DRY

It allows the dissolved rust and dirt to be removed easily and without using water.



LUBRICATE AND PROTECT

After the cleaning process is finished, it ensures that it remains oily for a long time when it is sprayed on all rails, wheels and gears.



Follow the steps given below to silence the noises and ease the operation of the door locks or door tensioners. If there is corrosion on the door lock and hinge mechanisms, add the problem solver product as a new step at the beginning of the application.

* Before applying, make sure that there is no mechanical problem such as deterioration or breakage of the tensioner or lock.



CLEAN AND DRY

It provides cleaning old oil and dirt. Leaves a dry surface.



LUBRICATE AND PROTECT

After the cleaning process is finished, it keeps the lock, hinge and tensioners lubricated for a long time when sprayed slowly and closely.



GELEN KİMYA SANAYİ VE TİCARET CO. LTD.

Menderes District 371 Street No 24/A Buca, İZMİR

www.erj.com.tr